

# Armour Zen

## Tomato Trials in Turkey 2017



**Agrimatco**

# Trial plot

*Serving Agriculture Since 1936*

Responsible : Burak Adaş (AMC-TR)  
Place : AMC-TR Trial station in Antalya  
Crop : Tomato  
Area : 1.000 m<sup>2</sup>  
Planting date : 10.02.2017  
Application date : 05.05.2017 and 15.05.2017

Trial Plot : 500 m<sup>2</sup>  
Application method: Foliar  
Application rate : 500 ml /50 lt water  
Application time : 17:00 pm  
Target disease : Gray Mould





Agrimatco

# Planting Stage

*Serving Agriculture Since 1936*

Planting date: 06.02.2017







**Agrimatco**

# 1. Application

*Serving Agriculture Since 1936*







Agrimatco

# 1. Application

*Serving Agriculture Since 1936*





1. Application: 05.05.2017

This application made as protective. There was no any disease symptom but weather condition suitable for the gray mould disease.

Control	Armour Zen
	500 ml /50 lt water
500 m2	500 m2





# Observation

1. Observation: 15.05.2017  
10 days later, gray mould symptoms observed with powdery mildew symptom.  
That is why, 2. application was done with competitor





## 2. Application: 15.05.2017

This application made both protective and curative.

Competitor (Bacillus spp)	Armour Zen
750 ml/50 lt water	500 ml /50 lt water
500 m2	500 m2





**Agrimatco**

# Observation

*Serving Agriculture Since 1936*

2. Observation: 15.06.2017

15 days after application, there was no new gray mould epidemy, observation was good on two plot.





**Agrimatco**

# Conclusion

*Serving Agriculture Since 1936*

Both products results are acceptable for farmer condition according to this trials. To be sure, it should perform new trials in different conditions.



